Bacseal® Super

Contains: 10g/litre tebuconazole in the form of a suspension

Net Contents:

2 litre

Wound sealant containing fungicide for control of European Canker and Silver Leaf in pip and summerfruit, and for sealing grafts and pruning wounds in summer fruit, pip fruit, kiwifruit, grapes and ornamental trees.

Registered pursuant to the ACVM Act 1997, No P4986 See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, No HSR000519 See www.epa.govt.nz for approval conditions

Manager Approvals Operations Regulation and Assurance

NEW ZEALAND 2 1 DEC 2015

September 2015

THE 140 TO

HSNO Classifications: 9.1C



HARMFUL

Harmful to aquatic organisms with long lasting effects.

PRECAUTIONS:

PERSONAL PROTECTION:

Keep out of reach of children. When mixing or applying wear waterproof gloves. Do not eat, drink or smoke while using. Wash hands and face before meals and after work.

STORAGE: Store in original container tightly closed and in a locked dry, cool, well ventilated area, away from foodstuffs. When stored appropriately this product should show no significant degradation for 3 years from the date of manufacture. Contact your supplier for further information about the use of this product if it is older than this.

SPILLS AND DISPOSAL: Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Disposal: Dispose of this product only by using according to the label or at an approved landfill.

Container Disposal: Triple rinse container and add residue to mixture. Take to an Agrecovery collection site.

Bacseal Super is a long lasting wound and graft sealant containing a fungicide for the control of European canker in pipfruit and silver leaf in pip and summerfruit. Also for application to seal and give protection of grafts, wounds and pruning cuts in kiwifruit, grapes and ornamental trees.

DIRECTIONS FOR USE:

Stir thoroughly before use. Do not dilute **Bacseal Super** with water as the seal integrity will be reduced.

Application: Apply **Bacseal Super** with a paint brush or applicator to a clean surface, in a continuous uniform layer over and beyond (minimum of 1 cm) the edges of the cut surface.

Healthy Wounds: Apply Bacseal Super directly after the cut is made.

Infected Wounds (European canker, Silver leaf): All infected, stained wood must be cut out, or alternatively the branch should be cut back to healthy tissue before applying **Bacseal Super.**

Protection of Grafts: Apply **Bacseal Super** after grafting and before or after taping. Do not apply before taping if the union is not perfect, otherwise **Bacseal Super** may penetrate the union and prevent the graft from taking. Where large wounds have

September 2015

1 DEC 2011.



Bacseal Super Page 3 of 3

been made check and repaint if cracking appears after the sealant has dried. Brushes should be washed out in water after use.

Bacseal Super should only be applied to plants during the dormant period.

It is an offence to use this product on animals.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residues Limits of Agricultural Compounds) Food Standards.

CONDITIONS OF SUPPLY:

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

To the extent permitted by law Bayer does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. Bayer does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that Bayer is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Date of Manufacture:

Batch No:

Bacseal® is a registered trademark of the Bayer Group

Bayer

Registered to:
Bayer New Zealand Limited
3 Argus Place, Hillcrest, North Shore 0627
Ph. 0800 428 246
EMERGENCY RESPONSE SERVICE (24 hrs) 0800 734 607





Mr. Terry