

SAFETY DATA SHEET



SCALA

Version 1 / NZ
10200000850

1/9
Revision Date: 05.10.2017
Print Date: 17.01.2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name SCALA
Product code (UVP) 05934583

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide
EPA-Nr. HSR000782

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited
3 Argus Place, Hillcrest
Auckland 0627
New Zealand
Telephone 0800 428 246
Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)
Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001

9.1B
H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Hazardous Substances Identification Regulations 2001

Hazard label for supply/use required.



Signal word: Warning

Hazard statements

SAFETY DATA SHEET



SCALA

Version 1 / NZ
102000000850

2/9

Revision Date: 05.10.2017
Print Date: 17.01.2018

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC)
Pyrimethanil 400 g/l

Hazardous components

Name	CAS-No.	Conc. [%]
Pyrimethanil	53112-28-0	37,40
Lignin, alkali, reaction products with formaldehyde and sodium bisulfite	68512-35-6	> 1,00 – < 10,00
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0,0050 – < 0,050
1,2-Propanediol	57-55-6	> 1,00

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. If symptoms persist, call a physician.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

SAFETY DATA SHEET



SCALA

Version 1 / NZ
102000000850

3/9

Revision Date: 05.10.2017
Print Date: 17.01.2018

Treatment Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO₂), Foam, Sand

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

SAFETY DATA SHEET



SCALA

Version 1 / NZ
102000000850

4/9

Revision Date: 05.10.2017
Print Date: 17.01.2018

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Pyrimethanil	53112-28-0	5,6 mg/m ³ (TWA)		OES BCS*
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m ³ (TWA)	07 2011	NZ OEL
1,2-Propanediol (Vapor and particulates.)	57-55-6	474 mg/m ³ /150 ppm (TWA)	07 2011	NZ OEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

SAFETY DATA SHEET



SCALA

Version 1 / NZ
10200000850

5/9

Revision Date: 05.10.2017
Print Date: 17.01.2018

drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	beige
Odour	almost odourless
pH	6,0 - 8,0 at 100 % (23 °C)
Flash point	>110 °C
Ignition temperature	> 600 °C
Auto-ignition temperature	The product is not self-ignitable.
Density	ca. 1,07 g/cm ³ at 20 °C
Water solubility	dispersible
Partition coefficient: n-octanol/water	Pyrimethanil: log Pow: 2,84
Viscosity, dynamic	50 - 120 mPa.s at 20 °C Velocity gradient 100 /s
Surface tension	ca. 51 mN/m at 20 °C Determined as a 1% solution in distilled water.
Explosivity	Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.

SAFETY DATA SHEET



SCALA

Version 1 / NZ
10200000850

6/9

Revision Date: 05.10.2017
Print Date: 17.01.2018

10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 5.000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 1,26 mg/l Exposure time: 4 h Highest attainable concentration. No deaths
Acute dermal toxicity	LD50 (Rat) > 4.000 mg/kg
Skin irritation	Slight irritant effect - does not require labelling. (Rabbit)
Eye irritation	No eye irritation (Rabbit)
Sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

Assessment STOT Specific target organ toxicity – single exposure

Pyrimethanil: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Pyrimethanil did not cause any significant specific adverse effects or target organ toxicity in subchronic toxicity studies.

Assessment mutagenicity

Pyrimethanil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Pyrimethanil was not carcinogenic in lifetime feeding studies in mice. Pyrimethanil caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Assessment toxicity to reproduction

Pyrimethanil did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Pyrimethanil did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET



SCALA

Version 1 / NZ
102000000850

7/9

Revision Date: 05.10.2017
Print Date: 17.01.2018

Further information

No further toxicological information is available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 53 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 10,4 mg/l Exposure time: 48 h
Toxicity to aquatic plants	IC50 (Raphidocelis subcapitata (freshwater green alga)) 16 mg/l Growth rate; Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability Pyrimethanil:
Not rapidly biodegradable

Koc Pyrimethanil: Koc: 301

12.3 Bioaccumulative potential

Bioaccumulation Pyrimethanil:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Pyrimethanil: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Pyrimethanil: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

SAFETY DATA SHEET



SCALA

Version 1 / NZ
102000000850

8/9
Revision Date: 05.10.2017
Print Date: 17.01.2018

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

According to ADN/ADR/RID/IMDG/IATA not classified as dangerous goods.

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

14.1 – 14.5 Not applicable.

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr.	HSR000782
HSNO Controls	See www.epa.govt.nz
ACVM Reg.	P4900
ACVM Condition	See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %

SAFETY DATA SHEET



SCALA

Version 1 / NZ
102000000850

9/9

Revision Date: 05.10.2017
Print Date: 17.01.2018

LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
