

# SAFETY DATA SHEET



## Movento OD

Version 1 / NZ  
102000016434

1/10  
Revision Date: 20.09.2017  
Print Date: 28.09.2017

---

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Trade name Movento OD  
Product code (UVP) 06082040

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide  
EPA-Nr. HSR100414

#### 1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited  
3 Argus Place, Hillcrest  
Auckland 0627  
New Zealand

Telephone 0800 428 246

Telefax (09) 441 8645

#### 1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)  
Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

---

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001

6.4A  
H320 Causes eye irritation.

6.5B  
H317 May cause an allergic skin reaction.

6.8B  
H361 Suspected of damaging fertility or the unborn child.

6.8C  
H362 May cause harm to breast-fed children.

6.9B  
H373 May cause damage to organs through prolonged or repeated exposure.

9.1B  
H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

# SAFETY DATA SHEET



## Movento OD

Version 1 / NZ  
102000016434

2/10

Revision Date: 20.09.2017  
Print Date: 28.09.2017

### Labelling in accordance with Hazardous Substances Identification Regulations 2001

Hazard label for supply/use required.



**Signal word:** Warning

#### Hazard statements

- H320 Causes eye irritation.  
H317 May cause an allergic skin reaction.  
H361 Suspected of damaging fertility or the unborn child.  
H362 May cause harm to breast-fed children.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

- P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P263 Avoid contact during pregnancy/ while nursing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P321 Specific treatment (see supplemental first aid instructions on this label).  
P391 Collect spillage.  
P501 Dispose of contents/container in accordance with local regulation.

#### 2.3 Other hazards

No other hazards known.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Chemical nature

Oil dispersion (OD)  
Spirotetramat 150 g/l

#### Hazardous components

Name	CAS-No.	Conc. [%]
Spirotetramat	203313-25-1	15,3
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7	> 1 – < 25
Fatty alcohol ethoxylate	68131-39-5	> 1 – < 3
2,6-Di-tert-butyl-4-methylphenol	128-37-0	> 0,1 – < 2,5

#### Further information

Spirotetramat	203313-25-1	M-Factor: 1 (acute), 1 (chronic)
---------------	-------------	----------------------------------

# SAFETY DATA SHEET



## Movento OD

Version 1 / NZ  
102000016434

3/10

Revision Date: 20.09.2017  
Print Date: 28.09.2017

---

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

---

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
<b>Further information</b>	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

# SAFETY DATA SHEET



## Movento OD

Version 1 / NZ  
102000016434

4/10

Revision Date: 20.09.2017  
Print Date: 28.09.2017

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** No special precautions required.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

### 7.2 Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** HDPE (high density polyethylene)  
Only IBC 1000 liter are recommended as bulk container for re-filling.

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

# SAFETY DATA SHEET



## Movento OD

Version 1 / NZ  
102000016434

5/10

Revision Date: 20.09.2017  
Print Date: 28.09.2017

Components	CAS-No.	Control parameters	Update	Basis
Spirotetramat	203313-25-1	1,4 mg/m <sup>3</sup> (SK-SEN)		OES BCS*
2,6-Di-tert-butyl-4-methylphenol	128-37-0	10 mg/m <sup>3</sup> (TWA)	07 2011	NZ OEL
2,6-Di-tert-butyl-4-methylphenol	128-37-0	2 mg/m <sup>3</sup> (TLV)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

#### Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

#### Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

#### Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

#### General protective measures

If product is handled while not enclosed, and if contact may occur:  
Complete suit protecting against chemicals

# SAFETY DATA SHEET



## Movento OD

Version 1 / NZ  
102000016434

6/10

Revision Date: 20.09.2017  
Print Date: 28.09.2017

---

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

<b>Form</b>	dispersion
<b>Colour</b>	light beige to light brown
<b>Odour</b>	weak, characteristic
<b>pH</b>	4,0 - 6,0 at 1 % (23 °C) (deionized water)
<b>Flash point</b>	>100 °C
<b>Ignition temperature</b>	ca. 405 °C
<b>Density</b>	ca. 0,98 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	dispersible
<b>Partition coefficient: n-octanol/water</b>	Spirotetramat: log Pow: 2,5 at pH 7
<b>Viscosity, dynamic</b>	<= 1.300 mPa.s at 20 °C Velocity gradient 7,5 /s
<b>Surface tension</b>	28 mN/m at 25 °C
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

---

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

<b>Thermal decomposition</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

<b>Acute oral toxicity</b>	LD50 (Rat) > 2.000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 0,842 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol.

# SAFETY DATA SHEET



## Movento OD

Version 1 / NZ  
102000016434

7/10

Revision Date: 20.09.2017  
Print Date: 28.09.2017

	Highest attainable concentration.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 2.000 mg/kg
<b>Skin irritation</b>	No skin irritation (Rabbit)
<b>Eye irritation</b>	Irritating to eyes. (Rabbit)
<b>Sensitisation</b>	Sensitising (Guinea pig) OECD Test Guideline 406, Buehler test

### Assessment STOT Specific target organ toxicity – single exposure

Spirotetramat: May cause respiratory irritation.

### Assessment STOT Specific target organ toxicity – repeated exposure

Spirotetramat did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Spirotetramat was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Spirotetramat was not carcinogenic in lifetime feeding studies in rats and mice.

### Assessment toxicity to reproduction

Spirotetramat caused male reproductive toxicity in the presence of general toxicity in the rat at very high experimental dose levels. There were no effects on male fertility in mice and dogs. The reproductive toxicity seen with Spirotetramat is due to an overwhelmed elimination capacity at high doses. The high dose levels needed for this effect cannot be achieved even in a worst case exposure scenario.

### Assessment developmental toxicity

Spirotetramat caused developmental toxicity only at dose levels toxic to the dams. Spirotetramat caused a delayed foetal growth, an increased incidence of variations.

---

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 9,48 mg/l Exposure time: 96 h Test conducted with a similar formulation.
<b>Toxicity to aquatic invertebrates</b>	LC50 (Chironomus riparius (non-biting midge)) 8,74 mg/l Exposure time: 48 h  EC50 (Daphnia magna (Water flea)) > 42,7 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient.  EC50 (Chironomus riparius (non-biting midge)) 0,46 mg/l Exposure time: 28 d The value mentioned relates to the active ingredient.  NOEC (Chironomus riparius (non-biting midge)) 0,1 mg/l Exposure time: 28 d The value mentioned relates to the active ingredient.

# SAFETY DATA SHEET



## Movento OD

Version 1 / NZ  
102000016434

8/10

Revision Date: 20.09.2017  
Print Date: 28.09.2017

**Toxicity to aquatic plants** IC50 (Raphidocelis subcapitata (freshwater green alga)) > 100 mg/l  
Growth rate; Exposure time: 72 h  
Test conducted with a similar formulation.

### 12.2 Persistence and degradability

**Biodegradability** Spirotetramat:  
Not rapidly biodegradable

**Koc** Spirotetramat: Koc: 289

### 12.3 Bioaccumulative potential

**Bioaccumulation** Spirotetramat:  
Does not bioaccumulate.

### 12.4 Mobility in soil

**Mobility in soil** Spirotetramat: Moderately mobile in soils

### 12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Spirotetramat: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

### 12.6 Other adverse effects

**Additional ecological information** No other effects to be mentioned.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

**Product** Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

**Contaminated packaging** Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

## SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

### ADR/RID/ADN

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	<b>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROTETRAMAT SOLUTION)</b>
14.3 Transport hazard class(es)	<b>9</b>
14.4 Packing group	<b>III</b>
14.5 Environm. Hazardous Mark	<b>YES</b>



# SAFETY DATA SHEET



## Movento OD

Version 1 / NZ  
102000016434

9/10

Revision Date: 20.09.2017  
Print Date: 28.09.2017

Hazchem Code 3Z

### IMDG

14.1 UN number **3082**  
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(SPIROTETRAMAT SOLUTION)  
14.3 Transport hazard class(es) 9  
14.4 Packing group III  
14.5 Marine pollutant YES

### IATA

14.1 UN number **3082**  
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(SPIROTETRAMAT SOLUTION )  
14.3 Transport hazard class(es) 9  
14.4 Packing group III  
14.5 Environm. Hazardous Mark YES

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

---

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Further information

HSNO approval-Nr. HSR100414  
HSNO Controls See [www.epa.govt.nz](http://www.epa.govt.nz)  
ACVM Reg. P8257  
ACVM Condition See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz)

---

## SECTION 16: OTHER INFORMATION

### Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE Acute toxicity estimate  
CAS-Nr. Chemical Abstracts Service number  
Conc. Concentration  
ECx Effective concentration to x %  
EINECS European inventory of existing commercial substances  
ELINCS European list of notified chemical substances

# SAFETY DATA SHEET



## Movento OD

Version 1 / NZ  
102000016434

10/10  
Revision Date: 20.09.2017  
Print Date: 28.09.2017

EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.